

NÁVOD K INSTALACI OSVĚTLENÉ KOUPELNOVÉ SKŘÍŇKY

Modely: MC-BG6070H / MC-BG8070H


Tento dokument obsahuje profesionální český překlad instalačního návodu pro osvětlenou koupelnovou skříňku. Instalaci musí provádět kvalifikovaný elektrikář v souladu s platnými bezpečnostními předpisy.

Originální bezpečnostní schéma koupelnových zón

ILLUMINATED CABINET INSTALLATION INSTRUCTIONS



MC-BG6070H




MC-BG8070H

Please read these instructions carefully before installation.
Installation should be carried out by a qualified electrician.
Please leave a copy for the user/maintenance engineer for future reference.

GENERAL

- **THIS PRODUCT MUST BE EARTHED. IF THERE ARE ONLY TWO WIRES COMING FROM YOUR POWER SUPPLY IT MEANS THAT THIS FITTING BE WIRED TO AN UNEARTHED CIRCUIT. CONTACT A QUALIFIED ELECTRICIAN TO INSTALL A SUITABLE EARTH FACILITY.**
- **ENSURE ELECTRICITY IS SWITCHED OFF AT THE MAINS BEFORE INSTALLING OF MAINTAINING ANY ELECTRICAL FITTING.**
- **THIS PRODUCT IS FOR IN DOOR USE ONLY.**
- **THIS PRODUCT IS IP44 RATED AND SHOULD BE INSTALLED ONLY.**
- **IN THE ZONE 2 AND 3 OF THE BATHROOM AS DEFINED BY THE IEE WIRING REGULATIONS (SEE DIAGRAMS BELOW)**
- **REPLACE FAILED LAMPS IMMEDIATELY. ALLOW THE GLASS, LAMP AND FITTING TO COOL BEFORE REPLACING THE LAMP.**

IEE Bathroom Zones Diagram



OUTSIDE ZONES

IMPORTANT

- **When working at heights, please use a suitable platform to work from.**
- **Please note:** For new installations, check for any electrical cables or pipe work (gas/water) in the vicinity of the intended mounting point for the product, before proceeding with the installation.
- **Ensure that the fixing location is able to take the weight of the complete fitting.** Wear suitable eye protection when drilling. Be careful when using power tools near water.

Do NOT strike mirror glass with hard or pointed items. It is recommended that the product is cleaned with a soft, dry, non abrasive cloth. Do NOT use cleaning agents or abrasive materials on any type of finished surface. Do NOT allow moisture to come into contact with the electrical components.

Compliance
This product complies with the following safety standards:
BS EN 60598-1: 2008+A11: 2009. EN60598-2-1: 1989

Wiring
This product is manufactured to class I category and requires an earth connection

COLOUR CODING:

L - Live	= Brown
N - Neutral	= Blue
⊕ - Earth	= Green & Yellow

DŮLEŽITÉ BEZPEČNOSTNÍ POKYNY

- Tento výrobek musí být uzemněn.
- Před instalací nebo údržbou vždy vypněte hlavní přívod elektrické energie.
- Výrobek je určen pouze pro použití v interiéru.
- Výrobek má krytí IP44.
- Instalace je povolena pouze v zóně 2 a 3 koupelny dle předpisů IEE.
- Nepoužívejte abrazivní čisticí prostředky.
- Zabraňte kontaktu vlhkosti s elektrickými součástmi.

Elektrické zapojení

Funkce	Barva vodiče
L – Fáze	Hnědá
N – Nulový vodič	Modrá
Zemnění	Zeleno-žlutá

Postup instalace

1. Otevřete balení a zkontrolujte všechny součásti.
2. Označte požadovanou výšku instalace a vyvrtejte montážní otvory.
3. Připojte elektrické vedení dle platných norem a zajistěte uzemnění.
4. Zavěste skříňku na montážní držáky a vyrovnejte ji.
5. Připevněte spodní část skříňky ke stěně pomocí dodaného šroubu.
6. Namontujte držáky polic a vložte skleněné police.
7. Zajistěte správnou polohu polic.
8. Pokud nejsou dvířka vyrovnaná, nastavte panty pomocí šroubů A, B a C.

Montážní schéma

